

COMPANY PROFILE

40%

40% of products are
exported to other countries

40000+

Our manufacturing base
occupies an area of 40000+m²

500+

More than 500 sets
of various models

30+

Certification Certificates /
Test Reports

22+

Extrusion production line

8+

PUR hot-compress production line



Create in 2014

Foshan Yunjian Decoration materials Co,Ltd is located in the famous city of the Pearl River Delta with a long history and culture - Foshan, Guangdong Province, The company was established in 2014, Since its establishment, Yunjian has always been committed to creating a model of environmental and healthy life for dealers and consumers. The company's factory covers an area of 40000 square meters and has introduced 8 PUR hot pressing production lines, 3 flat coating machines, and 22 extrusion production lines from Germany.


In the future development of the road we will be more rigorous quality, more professional ability, better service to the community.



Foshan Yunjian Decoration Materials Co,Ltd.

ADD:No.15,Chuang ye Road, C District, Science and Technology Industrial Park,
Shishan Town, Nanhai District, Foshan City

FACTORY SHOW



Extrusion Workshop



Extrusion Workshop



PVC Film Warehouse



Laminating Workshop



Laminating Workshop



Factory Show Room

CORPORATE HONOR



The company currently has a group of profession product development and manufacturing team, accounting for 10% of the total number

30+

30+test report

40+

40+honorary certificate

10+

10+various certifications



MAIN QUALIFICATIONS

- Numerous products have passed SGS certification.
- Numerous products test have passed certification.
- Numerous products have passed GTS certification.



PRODUCTION QUALIFICATIONS



TEST REPORT/CERTIFICATES



List Product

Indoor Wood Plastic Composite(WPC) Materials Series

- Bamboo Charcoal Wall Panel(**black** substrate)
- High-end WPC Wall Panel(**pink** substrate)
- WPC Anti-Collision Wall Panel(**white** substrate)
- WPC Anti-Collision Wall Panel(**yellow** substrate)
- Bamboo Wood Fiber Wall Panel
- WPC Fluted Wall Panel
- WPC Panel Accessories
- WPC Skirting Board
- WPC Ceiling
- WPC Square Tube



Bamboo Charcoal Wall Panel

Product introduction

Bamboo charcoal wall panels are a popular choice for interior wall decoration. They make great background wall for dining rooms, bedrooms and hallways, and can be pared with metal trims and LED light strips for a unique and elegant look. With over 200 colors to choose from, each home can have a different and personalized appearance.

Product Features



Waterproof



Insect prevention



Environmental protection



Flame-retardant

Waterproof, moisture-proof, stain resistant, and dirt resistant, with a delicate texture that does not penetrate or adsorb, making cleaning easy; Anti scratch and wear resistant. with a super hard finish and PVC coating is scratch-resistant wear-resistant without leaving any marks: Fire resistance and flame retardant,etc.




Water proof test, surface coating waterproof design



Fire-retardant, self-extinguishing




Anti scratch test, not easily scratches



Can be bent and shaped when heated



The back can be grooved and can be used on columns



Can be grooved and folded at a 90° right Angle

Product Parameters

Laminated layer


High quality PVC/PET film covering, realistic texture, flame retardant waterproof and moisture-proof, not easy to fade

Substrate layer

Native PVC resin, bamboo charcoal powder, and wood powder are formed by high-temperature pressing to ensure a long service

Co-extrusion layer

The upper and lower arches squeeze the diamond layer, which is not afraid of collision and has a longer life span.



NAME: Bamboo Charcoal Wall Panel

PRODUCT SUBSTRATE: Bamboo and wood fibers

THICKNESS: 5/7/8/9mm


PRODUCT COLOR: wood grain/imitation marble/customized

SIZE: 1220(width) *2440/2800/2900/3000mm/customized(**length**) ;

DENSITY: 0.65

FIRE RTAING: B1

APPLICABLE PLACES: Office, room showroom etc.




INSTALLATION METHOD



High-end WPC Wall Panel

Product introduction



High-end WPC wall panels are a popular choice for interior wall decoration. They make great background wall for dining rooms, bedrooms and hallways, and can be paired with metal trims and LED light strips for a unique and elegant look. With over 200 colors to choose from, each home can have a different and personalized appearance.

Product Features



Waterproof



Insect prevention



Environmental protection



Flame-retardant

Waterproof, moisture-proof, stain resistant, and dirt resistant, with a delicate texture that does not penetrate or adsorb, making cleaning easy; Anti scratch and wear resistant. with a super hard finish and PVC coating is scratch-resistant wear-resistant without leaving any marks: Fire resistance and flame retardant,etc.




Water proof test, surface coating waterproof design




Fire-retardant, self-extinguishing




Anti scratch test, not easily scratches



Can be bent and shaped when heated




The back can be grooved and can be used on columns



Can be grooved and folded at a 90° right Angle

Product Parameters



NAME: High-end WPC Wall Panel

PRODUCT SUBSTRATE: wood fibers and plastic and mineral powder

THICKNESS: 8/9mm

PRODUCT COLOR: wood grain/imitation marble/customized


SIZE: 1220(width) * 2440/2800/2900/3000mm/customized(**length**) ;

DENSITY: 0.85

FIRE RTAING: B1


APPLICABLE PLACES: Office, room showroom etc.

INSTALLATION METHOD





WPC Anti-collision Wall Panel



Product introduction

WPC anti-collision wall panels are a popular choice for interior wall decoration. They make great background wall for dining rooms, bedrooms and hallways, and can be pared with metal trims and LED light strips for a unique and elegant look. With over 200 colors to choose from, each home can have a different and personalized appearance.

Product Features



Waterproof



Insect prevention



Environmental protection



Flame-retardant


Waterproof, moisture-proof, stain resistant, and dirt resistant, with a delicate texture that does not penetrate or adsorb, making cleaning easy; Anti scratch and wear resistant. with a super hard finish and PVC coating is scratch-resistant wear-resistant without leaving any marks: Fire resistance and flame retardant,etc.




Water proof test, surface coating waterproof design



Fire-retardant, self-extinguishing



High hardness and super wear-resistant, 10,000 times of friction test



Can be bent and shaped when heated




The back can be grooved and can be used on columns



Can be grooved and folded at a 90° right Angle

Product Parameters



NAME: WPC Anti-collision Wall Panel

PRODUCT SUBSTRATE: wood plastic and composite

THICKNESS: 8mm

PRODUCT COLOR: wood grain/imitation marble/customized

SIZE: 1220(width) * 2440/2800/2900/3000mm/customized(**length**) ;

DENSITY: 1.0

FIRE RTAING: B1

APPLICABLE PLACES: Office, room showroom etc.





WPC Anti-collision Wall Panel



Product introduction

WPC anti-collision wall panels are a popular choice for interior wall decoration. They make great background wall for dining rooms, bedrooms and hallways, and can be pared with metal trims and LED light strips for a unique and elegant look. With over 200 colors to choose from, each home can have a different and personalized appearance.

Product Features

- Waterproof
- Insect prevention
- Environmental protection
- Flame-retardant

Waterproof, moisture-proof, stain resistant, and dirt resistant, with a delicate texture that does not penetrate or adsorb, making cleaning easy; Anti scratch and wear resistant. with a super hard finish and PVC coating is scratch-resistant wear-resistant without leaving any marks: Fire resistance and flame retardant,etc.



Water proof test, surface coating waterproof design



Fire-retardant, self-extinguishing



High hardness and super wear-resistant, 10,000 times of friction test



Can be bent and shaped when heated




The back can be grooved and can be used on columns



Can be grooved and folded at a 90° right Angle

Product Parameters



NAME: WPC Anti-collision Wall Panel

PRODUCT SUBSTRATE: wood plastic and composite

THICKNESS: 8mm


PRODUCT COLOR: wood grain/imitation marble/customized

SIZE: 1220(width) * 2440/2800/2900/3000mm/customized(**length**) ;


DENSITY: 0.85

FIRE RTAING: B1


APPLICABLE PLACES: Office, room showroom etc.



Groove Splicing



Aluminum Trim Splicing



Corner slotting and bending
1. Slotting of trimming machine
2. Hot air gun heating bending
3. Apply structural adhesive on the back of the wall panel



Apply structural adhesive on the back

1. Apply structural adhesive on the back
2. Metal profile connection
3. Puttying and leveling

Installation Steps

Bamboo Wood Fiber Wall Panel

Product Features



Waterproof



Insect prevention



Environmental protection



Flame-retardant



- waterproof Mildew proof Insect prevention
- Keep warm Sound insulation Flame retardant
- High toughness
- Fine compact High hardness
- Easy installation

Width:400mm/600mm

Thickness:8mm/9mm

Seam type : Big V, small V, U seam, Flat Seam

Flat seam Stitching



V- seam Splicing



U- seam Splicing



Flat seam Stitching



U- seam Splicing



V- seam Splicing

WOOD PLASTIC COMPOSITE

FLUTED WALL PANEL

Product Features



Waterproof



Insect prevention




Environmental protection




Flame-retardant

- waterproof Mildew proof Insect prevention
- Keep warm Sound insulation Flame retardant
- High toughness
- Fine compact High hardness
- Easy installation



159 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:159*9mm

Finished surface:150mm

Weight/meter:800g/M

PCS/carton:10pcs

Package size:300*20*11cm



204 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:204*14mm

Finished surface:195mm

Weight/meter:950g/M

PCS/carton:15pcs

Package size:301*21*23cm



149 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:149*14mm

Finished surface:140mm


Weight/meter:850g/M

PCS/carton:10pcs

Package size:301*20*15cm



170 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:170*22mm

Finished surface:162mm

Weight/meter:110g/M

PCS/carton:10pcs

Package size:301*20*14cm



218 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:218*15mm

Finished surface:210cm

Weight/meter:1350g/M

PCS/carton:10pcs

Package size:301*23*16cm



169 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:159*9mm

Finished surface:


Weight/meter:1000g/M

PCS/carton:10pcs


Package size:301*18*19cm



140 WPC Fluted Wall Panel



133 WPC Fluted Wall Panel



148 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:140*25mm

Finished surface:130mm

Weight/meter:850g/M

PCS/carton:10pcs

Package size:301*20*14cm



Product Corss-sectional View

Normal length:3000mm


Size:133*18mm

Finished surface:122mm

Weight/meter:950g/M

PCS/carton:15pcs

Package size:3010*21*23cm



Product Corss-sectional View

Normal length:3000mm


Size:148*15mm

Finished surface:140mm

Weight/meter:850g/M

PCS/carton:10pcs

Package size:301*20*14cm



150 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:150*12.5mm

Finished surface:140mm

Weight/meter:750g/M

PCS/carton:10pcs

Package size:301*20*14cm



360 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm

Size:360*8mm

Finished surface:360mm


Weight/meter:1600g/M

PCS/carton:10pcs

Package size:301*37.5*9cm



148 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:207*15mm

Finished surface:196mm

Weight/meter:1300g/M

PCS/carton:10pcs

Package size:301*25*15cm



203 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:203*15mm

Finished surface:195mm

Weight/meter:1100g/M

PCS/carton:10pcs

Package size:301*25*15cm



193 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:193*25mm

Finished surface:185mm

Weight/meter:950g/M

PCS/carton:15pcs

Package size:3010*21*23cm



135 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:135*13mm

Finished surface:127mm


Weight/meter:810g/M

PCS/carton:8pcs

Package size:301*20*14cm



109 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm

Weight/meter:700g/M

Size:109*15mm

PCS/carton:10pcs

Finished surface:100mm

Package size:301*14*15cm



158 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Weight/meter:810g/M

Size:158*14mm

PCS/carton:10pcs

Finished surface:148mm

Package size:301*16*16cm



200 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Weight/meter:1300g/M

Size:200*15mm


PCS/carton:10pcs

Finished surface:192mm


Package size:301*25*15cm




210 WPC Fluted Wall Panel



50 WPC Fluted Wall Panel



215 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm

Weight/meter:900g/M

Size:210*17.4mm

PCS/carton:10pcs

Finished surface:200mm

Package size:301*22*18cm



Product Corss-sectional View

Normal length:3000mm


Weight/meter:500g/M

Size:50*24mm

PCS/carton:15pcs

Finished surface:45mm

Package size:301*5*24cm



Product Corss-sectional View

Normal length:3000mm


Weight/meter:700g/M

Size:214.5*20mm

PCS/carton:10pcs

Finished surface:210mm

Package size:301*23*22cm



159 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:159*10mm

Finished surface:152mm


Weight/meter:850g/M

PCS/carton:10pcs

Package size:301*25*15mm



185 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:185*18mm

Finished surface:177mm


Weight/meter:100g/M

PCS/carton:10pcs

Package size:301*25*15cm



153 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:153*19mm

Finished surface:143mm


Weight/meter:860g/M

PCS/carton:10pcs

Package size:301*25*15cm



130 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Weight/meter:670g/M

Size:130*15mm


PCS/carton:10pcs

Finished surface:120mm

Package size:301*18*19cm



60 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Weight/meter:420g/M

Size:72.5*15mm

PCS/carton:20pcs

Finished surface:60mm

Package size:301*20*14cm



50 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Weight/meter:410g/M

Size:54*15.5mm


PCS/carton:20pcs

Finished surface:50mm

Package size:301*20*11cm



210 WPC Fluted Wall Panel



132 WPC Fluted Wall Panel



35 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Weight/meter:980g/M

Size:210*9mm

PCS/carton:10pcs

Finished surface:200mm

Package size:3000*22*10cm



Product Corss-sectional View

Normal length:3000mm


Weight/meter:850g/M

Size:132*9mm

PCS/carton:10pcs

Finished surface:120mm

Package size:301*18*10cm



Product Corss-sectional View

Normal length:3000mm


Weight/meter:450g/M

Size:35*25mm


PCS/carton:30pcs

Finished surface:35mm

Package size:301*20*14cm




100 WPC Fluted Wall Panel




Product Corss-sectional View

Normal length:3000mm
Size:100*9mm
Finished surface:90mm

Weight/meter:800g/M
PCS/carton:10pcs
Package size:3000*20*11cm




101 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm
Size:101*13mm
Finished surface:90mm

Weight/meter:850g/M
PCS/carton:15pcs
Package size:301*15*12cm




50 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm
Size:50*50mm
Finished surface:50mm

Weight/meter:450g/M
PCS/carton:30pcs
Package size:301*20*14cm




217 WPC Fluted Wall Panel



163 WPC Fluted Wall Panel




102 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm
Size:217*10mm
Finished surface:207mm


Weight/meter:1750g/M
PCS/carton:10pcs
Package size:301*22*11cm



Product Corss-sectional View

Normal length:3000mm
Size:163*12mm
Finished surface:


Weight/meter:1350g/M
PCS/carton:10pcs
Package size:301*21*13cm




Product Corss-sectional View

Normal length:3000mm
Size:102*12mm
Finished surface:89mm

Weight/meter:900g/M
PCS/carton:10pcs
Package size:301*15*13cm



158 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:158*16mm

Finished surface:150mm

Weight/meter:1150g/M

PCS/carton:10pcs

Package size:301*25*15cm



80 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:80*7mm

Finished surface:70mm

Weight/meter:400g/M

PCS/carton:10pcs

Package size:301*9*8cm



143 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:143*11mm

Finished surface:133mm


Weight/meter:1100g/M

PCS/carton:10pcs

Package size:301*16*12cm



130 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:130*7.8mm

Finished surface:120mm


Weight/meter:800g/M

PCS/carton:10pcs

Package size:301*14*9cm



55 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:54.7*24mm

Finished surface:43.5mm

Weight/meter:580g/M

PCS/carton:20pcs

Package size:301*20*14cm



160 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm


Size:159*9mm

Finished surface:


Weight/meter:950g/M

PCS/carton:10pcs

Package size:301*17*15cm



158 WPC Fluted Wall Panel



145 WPC Fluted Wall Panel




149 WPC Fluted Wall Panel



Product Corss-sectional View

Normal length:3000mm
Size:158*12mm
Finished surface:150mm


Weight/meter:1150g/M
PCS/carton:10pcs
Package size:301*25*15cm



Product Corss-sectional View

Normal length:3000mm
Size:145*8mm
Finished surface:137mm


Weight/meter:800g/M
PCS/carton:15pcs
Package size:301*25*13cm



Product Corss-sectional View

Normal length:3000mm
Size:16*17.5mm
Finished surface:

Weight/meter:200g/M
PCS/carton:30pcs
Package size:3010*20*14cm



50 WPC Corner



Product Corss-sectional View

Normal length:3000mm


Size:50*50mm

Finished surface:50mm


Weight/meter:450g/M

PCS/carton:20pcs

Package size:301*20*15cm



60 WPC Corner



Product Corss-sectional View

Normal length:3000mm


Size:160*60mm

Finished surface:60mm


Weight/meter:950g/M

PCS/carton:10pcs

Package size:301*20*23cm



110 WPC Corner



Product Corss-sectional View

Normal length:3000mm


Size:160*110mm

Finished surface:110mm

Weight/meter:1100g/M

PCS/carton:10pcs

Package size:301*20*30cm





Waterproof



Insect
prevention




Environmental
protection




Flame-
retardant

Installation Instructions



1. Apply structural adhesive on the back
2. Male and female slot splicing or metal clip splicing
3. Puttying and leveling



1. Puttying and leveling
2. Apply structural adhesive on the back
3. Male and female slot splicing or metal clip splicing
5. Rough wall


65 Wainscoting Molding




Product Corss-sectional View

Normal length:3000mm

Size:65*25mm




80 Skirting Board



Product Corss-sectional View

Normal length:3000mm

Size:80*10mm




100 Skirting Board



Product Corss-sectional View

Normal length:3000mm

Size:100*16mm




100 Top Line



Product Corss-sectional View

Normal length:3000mm

Size:100*28mm




60 Border Lines



Product Corss-sectional View

Normal length:3000mm

Size:60*25mm




60 Border Lines



Product Corss-sectional View

Normal length:3000mm

Size:60*25mm




28 Internal Corner



Product Corss-sectional View

Normal length:3000mm

Size:28*20mm




60 Border Lines



Product Corss-sectional View

Normal length:3000mm

Size:35*15mm




25 External Corner



Product Corss-sectional View

Normal length:3000mm

Size:25*25mm



60 Skirting Board without LED Light




60 Skirting Board with LED Light



Product Corss-sectional View

Normal length:3000mm


Size:60*12mm



Product Corss-sectional View

Normal length:3000mm

Size:60*12mm




50 WPC Square Tube



Product Corss-sectional View

Normal length:3000mm

Size:50*50mm




100 WPC Square Tube





Product Corss-sectional View

Normal length:3000mm

Size:50*100mm



Installation Instructions




45 WPC Ceiling



Product Corss-sectional View

Normal length:3000mm

Size:40*45mm




60 WPC Ceiling



Product Corss-sectional View

Normal length:3000mm

Size:50*60mm




90 WPC Ceiling




Product Corss-sectional View

Normal length:3000mm

Size:50*90mm



WPC Ceiling Installation Instructions



Light-gauge Steel Keel

